

WILLKIE FARR & GALLAGHER

DOCKET FILE COPY ORIGINAL

EX PARTE

Washington, DC
New York
London
Paris

EX PARTE OR LATE FILED

May 11, 1998

Ms. Magalie Roman Salas
Secretary
Federal Communications Commission
1919 M Street, N.W.
Room 222
Washington, DC 20554


Re: Revision of the Commission's Rules to Ensure
Compatibility with Enhanced 911 Emergency Calling
Systems, CC Docket No. 94-102.

Dear Ms. Salas:

Pursuant to the Commission's rules, enclosed please
find two copies of the attached letter and the enclosed
strongest signal analysis which were sent today to the
following:

Chairman William E. Kennard	Commissioner Susan Ness
Commissioner Gloria Tristani	Commissioner Harold Furchtgott-Roth
Commissioner Michael Powell	Daniel Phythyon
Ari Fitzgerald	David Wye
Paul E. Misener	Karen Gulick
Peter A. Tenhula	David R. Siddall
Daniel F. Grosh	Ms. Won Kim

Sincerely,



David M. Don

Enclosure

042

Three Lafayette Centre
1155 21st Street, NW
Washington, DC 20036-3384
202 328 8000

Telex: BCA 229800
WU 89-2762
Fax: 202 387 8970

WILLKIE FARR & GALLAGHER

DOCKET FILE COPY ORIGINAL

EX PARTE OR LATE FILED

May 11, 1998

Washington, DC
New York
London
Paris

Re: Revision of the Commission's Rules to Ensure
Compatibility with Enhanced 911 Emergency Calling
Systems, CC Docket No. 94-102.

Dear :

I have enclosed for your information a review of the strongest signal proposal which the Commission is presently considering in the above-captioned docket. As presented in the Further Notice of Proposed Rulemaking, the strongest signal proposal would require that all wireless handsets be modified to measure the strength of signal from both the A side and B side cellular carriers. The handset would then transmit all 911 calls on the system with the stronger signal. The purported benefit of such a requirement would be to enhance the likelihood that an emergency call reaches the PSAP.

As demonstrated in the enclosed analysis, a strongest signal mandate by the Commission is unnecessary, would thwart the true benefits of E911 -- automatic location identification -- and is opposed by the public safety community. Rather than impose this requirement, TruePosition believes that the Commission could realize the same benefits through less intrusive proposals such as coverage gap roaming.

I hope you find this both interesting and helpful. If you would like to discuss TruePosition's automatic location identification technology or its views on E911 issues, please feel free to call.

Sincerely,

Philip L. Verveer
David M. Don

Enclosure

cc: Magalie Roman Salas

Strongest Signal: Good Motives, Public Safety Policy Failure

The Commission and the public safety community have consistently supported similar public policy goals in the promotion of wireless E911 services. The proposal to implement a strongest signal requirement, however, may in actuality create an obstacle to meeting these joint interests. While on its surface the strongest signal proposal appears to offer improved public access to emergency services, the public safety community's detailed review of the plan has exposed many of its weaknesses. For that reason, the public safety interests participating in this proceeding have elected to oppose a strongest signal requirement.

Automatic Location Information is the linchpin of public safety policy. Since the Commission initiated its inquiry into wireless E911 service, one issue has consistently remained at the forefront of the Commission's policy goals: implementation of Automatic Location Identification (ALI). ALI "permits rapid response in situations where callers are disoriented, disabled, unable to speak, or do not know their location. . . . ALI permits the immediate dispatch of emergency assistance. . . . [and] ALI also reduces errors in reporting the location of the emergency and in forwarding accurate information to emergency personnel." (Report and Order at ¶ 5). NENA, along with APCO and NASNA, has also told the Commission matter of factly that "we can't help them if we can't find them." (NENA Ex Parte communication, Feb. 23, 1998) The Ad Hoc Alliance, which supports the strongest signal requirement, has relied upon a few anecdotal stories to bolster its argument. The public safety community, however, has considered the over 80,000 individuals who rely on E911 services daily and has determined that the true value of wireless E911 will be realized through improved location technology.

Although the Commission's Phase II deadline is more than three years away, carriers have begun to recognize the value of ALI and have undertaken efforts to implement the technology much sooner than the Commission's rules require. Carriers taking these steps realize that their subscribers, as well as potential subscribers in their communities, are demanding the best safety features available. While the proposed strongest signal requirement may appear on its surface to enhance access to wireless E911, in reality, such a proposal will serve as a deterrent to wireless carriers to deploy ALI.

Implementation of a strongest signal requirement would significantly reduce the accuracy of Phase I location information. As the Commission is well aware, carriers are building smaller cell sites to satisfy increasing demand for wireless services. The reduction of the size of cell sites has had the added benefit of improving the quality of ALI in Phase I. In other words, the area in which emergency personnel must search for a caller when they receive cell site location under Phase I is reduced, as the total area of a cell site is decreased. A policy implementing strongest signal could thwart technological advancements in ALI accuracy. Generally, carriers emitting the strongest control channels often maintain antenna coverage over a larger area. The end result is that the likelihood of the call being routed to the proper PSAP is dramatically reduced. The Commission, however, should strive to adopt policies which reduce the size of cell sites and improve ALI. A strongest signal regime discourages this result. Thus, the consequence of the strongest signal policy is to reduce the potential accuracy of ALI

information in those instances where it is transmitted to the PSAP. Rather than emphasizing improved location technology as part of a socially optimal E911 approach, as the Commission has to date, the strongest signal requirement would actually serve as a disincentive to deployment of ALI without commensurate benefit.

The strongest signal requirement also fails to meet the ALI needs of the public safety community. As NENA points out, PSAPs prefer "to receive a 9-1-1 call with . . . location technology than one with a slightly stronger signal but without Phase I and/or Phase II technology." (NENA Ex Parte communication, Feb. 23, 1998). The public safety community obviously supports the Commission's previous determinations that the true benefits of wireless E911 are only realized when a subscriber's location is transmitted to the PSAP along with the voice call.

Implementation of the strongest signal requirement would serve as a disincentive to carriers considering deployment of ALI. Under the strongest signal proposal the carrier providing presubscribed service is not guaranteed to be the carrier transmitting 911 calls for its customers. Only in those situations in which the subscriber is calling from a location where the carrier's control channel is the strongest will such a call be transmitted on that network. A strongest signal policy would not consider whether a carrier with a usable, albeit weaker control channel signal, has deployed ALI technology. In other words, a consumer who has subscribed to a carrier because it provides better safety protections through ALI would not be assured that the enhanced safety features always would be available. Because a carrier deploying ALI could not guarantee that it could locate subscribers when they call 911, it is less likely that it would invest in technology that may not always be available to its subscribers. Thus, a wireless provider hoping to increase its market share through early deployment of ALI is stripped of any marketing advantages warranting such an investment. As noted by the public safety community,

[t]he 'strongest signal' concept will cripple the ability to market 9-1-1 location service. . . . [E]ven if we are able to convince the carriers to move forward with location technology, who will take accountability for moving the caller from his carrier of choice, with location technology, to the other carrier which does not have location technology and is, therefore, unable to provide the location data for which the subscriber may be paying a premium? (NENA Ex Parte communication, Feb. 23, 1998)

The public safety enhancements the Ad Hoc Alliance hopes to realize through a strongest signal requirement can be better achieved by mandating in-region roaming in those instances where a caller is unable to receive any signal, and by fostering improved tower siting. The potential problem being addressed through the strongest signal proposal can be better addressed through the recommendations made by NENA and WEIAD. As NENA has noted, the true issue which should be the focus of the Commission's attention is not the decibel level at which an emergency call is being transmitted, but rather improving the likelihood that every call gets to the appropriate PSAP. To realize this goal, the Commission should take steps which

permit a subscriber to secure access to a carrier, any carrier, in those rare instances where the presubscribed carrier may not be providing any service -- a coverage gap. To overcome instances of a complete coverage gap by a presubscribed carrier, handsets can be programmed to roam on the network of another carrier providing service in that area. This provision will assure consumers that when they subscribe to a carrier which has deployed ALI, and has a usable signal, their location is being transmitted to the appropriate PSAP every time their carrier transmits a 911 call. Such a guarantee cannot be made if the Commission mandates strongest signal carriage. At the same time, mandating roaming in a coverage gap will substantially increase the likelihood that a call will reach a PSAP during an emergency -- meeting the purpose of the strongest signal requirement.

Implementation of coverage gap roaming will provide consumers with the same benefits of strongest signal, in what will most likely be a shorter period of time. As recommended by WEIAD, two efforts can be undertaken to rapidly introduce handsets that would roam in a coverage gap area. First, WEIAD supports educating consumers about the existing capability of a handset to be programmed, where capable, to use the "A" or "B" channel for 911 calls. Second, WEIAD recommends that analog handsets manufactured after a specified date be programmed to automatically use either channel in a coverage gap area. (WEIAD Joint Report, Appendix A, Jan. 30, 1998) Mandating coverage gap roaming will require a modification of all handsets to "switch" frequencies when the consumer is dialing 911 in certain areas. This software reprogramming is likely to be much simpler than implementing entirely new strongest signal technology. Although both proposals would require a phase-in period of implementation, a policy requiring coverage gap roaming would assure that more calls get through much sooner than a strongest signal requirement.

Rather than mandate strongest signal with its negative side effects, the Commission should strive to address the problem of coverage gaps at its root cause: the inability of carriers to secure sufficient tower sites. Most carriers strive to provide coverage throughout their service area. In those rare instances where a carrier is not providing adequate service in a particular area, it is often caused by restrictions imposed by others on the carrier's service. Several parties in this docket have petitioned the Commission to take steps to resolve this problem. For instance, improved tower siting on federal property consistent with the mandate in the Telecommunications Act of 1996 as well as the President's 1995 Executive Memorandum would go a long way towards improving wireless E911 coverage. Strict adherence to the principles of Section 332 would also improve E911 coverage by prohibiting communities from restricting the placement of antennas in optimum locations.

The strongest signal proposal raises many technical issues which have yet to be resolved. A strongest signal requirement raises complicated technical issues which have not passed through the regular standards-setting processes for technical approval. The Commission should not accept the implicit suggestion of those supporting a strongest signal requirement that it co-opt the normal industrial standards procedures. NENA has also addressed several issues in this matter and has proposed solutions which may not interrupt the deployment of ALI. Consistent with the recommendations of the WEIAD, any inquiry into the strongest signal as well as any other proposals, including NENA's, which attempt to improve wireless E911, must be

remanded to the appropriate Standards Development Organization. (WEIAD Joint Report, Appendix A, Jan. 30, 1998)

Upon close examination many of the benefits of strongest signal are not as they appear. The Commission should resist the temptation of implementing a policy based on very limited anecdotal evidence. Adoption of the strongest signal proposal of the Ad Hoc Alliance would unnecessarily thwart the development of valuable E911 location services.